



# Technical Data

Specification & Capacities



## SPB209CP



7,6kW/10,4Hp



1,9-6,1m



990kg













Via Campardone, 7  
31014 Colle Umberto – Italy  
Tel. +39 0438 434443  
Mail: info@jekko.it  
Web: www.jekko.it





Author	Zava M.
Date	04-2014
REV.	02




# SPB209CP - OVERALL DIMENSIONS



		kg	lbs
		1450	3197
		0	0
<b>Tot.</b>		<b>1450</b>	<b>3197</b>

	YAMAHA MZ 360		7,6kW 10,4Hp	
			GASOLINE	
			l	6
gal	1,59			

	km/h	1,7
	mph	0,62
	20°	
	kg/cm <sup>2</sup>	0,40
	lbs/ftq	819
	kg	1050
	lbs	2315

	0°/75°		24"
	280°		1,0 rpm
	m	1,9-6,1	40"
	ft	6'2"-20'0"	

## HOIST PERFORMANCE


Layer	Max Line Pull		Normal Line Speed		High Line Speed	
	kg	Lbs	m/min	ft/min	m/min	ft/min
1	495	1.089	12.2	40.0	25.7	84.3
2	460	1.012	13.3	43.6	28.0	91.8
3	425	935	14.0	45.9	29.5	96.8
4	400	880	15.1	49.5	31.8	104.0

Wire Rope	Diameter		Tot. Length		Max Load	
	mm	in	m	ft	kg	lbs
A4L 19x7 right lang lay	6	1/4	53	173	2.650	5.830

## HOOK BLOCK

LOAD		No. of	
kg	lbs	Sheaves	Lines
990	2183	1	2
495	1091	-	1

# SPB209CP + JIB800GB



	<b>100%</b>	330°	0 kg 0 lbs			
	<b>1,9</b>	<b>2,3</b>	<b>3,3</b>	<b>4,3</b>	<b>5,3</b>	<b>6,1</b>
	5'-11"	7'-7"	10'-10"	14'-1"	17'-5"	20'
<b>1,0</b>	<b>990</b>	<b>990</b>	<b>990</b>			
3'-3"	2178	2178	2178			
<b>2,0</b>	<b>990</b>	<b>990</b>	<b>990</b>	<b>850</b>	<b>800</b>	<b>700</b>
6'-7"	2178	2178	2178	1870	1760	1540
<b>3,0</b>			<b>780</b>	<b>700</b>	<b>600</b>	<b>550</b>
9'-11"			1716	1540	1320	1210
<b>4,0</b>				<b>430</b>	<b>430</b>	<b>420</b>
13'-11"				946	946	924
<b>5,0</b>					<b>280</b>	<b>270</b>
16'-1"					616	594
<b>5,8</b>						<b>200</b>
20'-12"						440

	<b>JIB800GB</b>	<b>100%</b>	330°	0 kg 0 lbs			
	<b>2,6</b>	<b>2,3</b>	<b>3,3</b>	<b>4,3</b>	<b>5,3</b>	<b>6,3</b>	<b>6,8</b>
	8'-6"	7'-7"	10'-10"	14'-1"	17'-5"	20'	22'-4"
<b>1,0</b>	<b>800</b>	<b>800</b>	<b>800</b>				
3'-3"	1760	1760	1760				
<b>2,0</b>		<b>800</b>	<b>800</b>	<b>800</b>	<b>800</b>	<b>700</b>	<b>700</b>
6'-7"		1760	1760	1760	1760	1540	1540
<b>3,0</b>			<b>780</b>	<b>700</b>	<b>600</b>	<b>550</b>	<b>550</b>
9'-11"			1716	1540	1320	1210	1210
<b>4,0</b>				<b>430</b>	<b>430</b>	<b>420</b>	<b>420</b>
13'-11"				946	946	924	924
<b>5,0</b>					<b>280</b>	<b>270</b>	<b>270</b>
16'-1"					616	594	594
<b>6,0</b>						<b>200</b>	<b>180</b>
19'-8"						440	396
<b>6,5</b>							<b>100</b>
21'-4"							220

**kg/m**  
lbs/ft



# JIB800GB

